



Light Pollution

- Hong Kong edition



香港大學光污染研究小組
Light Pollution Research Team
The University of Hong Kong




Astronomy and Light Pollution

Without dark skies, astronomers are unable to receive the faint signals of light from distant objects in outer space. Dark skies are a critical scientific resource for understanding the mysteries of the universe. Dark skies are also an important part of the cultural and natural heritage of all civilizations.

Many astronomical observatories are built in remote locations in an effort to escape the light of cities and towns. Even so, these observatories are threatened by light pollution. For example, the bottom left of this page shows city lights encroaching upon the mountaintop of Mauna Kea, Hawaii. Mauna Kea Observatories is one of the best astronomical sites in the world. Lighting ordinances are an important tool to protect these sites from light pollution.

Stars, Pleiades and Venus together with the world's largest telescopes – Keck Observatory and Subaru Telescope on Hawaii's mountaintop.
(Credit: Dr. Hideaki Fujiwara - Subaru Telescope, NAOJ)



A satellite view of New York City at night, showing the dense grid of city lights and the dark water of the surrounding bodies of water. The image is taken from a high angle, looking down on the city.

New York, USA seen from space. (Credit: NASA-Johnson Space Center-ISS045-E-066112)

The International Astronomical Union and the safeguarding of dark skies

The International Astronomical Union (IAU) brings together over 10 000 professional astronomers from almost 100 countries. Its mission is to promote and safeguard all aspects of the science of astronomy through international cooperation.

This publication is a compilation of important findings of experts worldwide in the area of light pollution. The information was gathered under the umbrella of the Cosmic Light programme, organised by IAU during the International Year of Light 2015. The goal of this brochure is to raise the profile of recent advancements in our understanding of light pollution, in particular regarding the use of LEDs, to support the astronomy community and increase public awareness of light pollution research.



Skyglow

Light pollution is the improper use of artificial outdoor lighting, which can cause adverse effects on the environment. Wasteful light from artificial sources emitted upward (at horizontal angles and higher) is scattered by aerosols such as clouds and fog or small particulates like pollutants in the atmosphere. This scattering forms a diffuse glow that can be seen from very far away. Skyglow is the most commonly known form of light pollution.

A standalone light source creates a greater impact on skyglow in rural areas than in cities because of secondary scattering. According to Martin Aube, ten percent of skyglow in cities and fifty percent of skyglow in rural areas result from secondary reflection.

Stars and skyglow over Salzburg, Austria
(Credit: Andreas Max Böckle)

Light trespass

Light trespass is another common problem that can even affect our health. Unwanted light at night can seep through the windows of houses and apartments, causing sleeping disorders due to overexposure to light.



Credit: Ducky Tse / Friends of the Earth (HK)



Credit: E. Hanlon

Glare

Excessive brightness at night creates high contrast and decreased visibility, causing discomfort or, in extreme cases, a blinding effect. Elderly people with ageing eyes and cataracts suffer the most.



VERY BAD



BAD



BETTER




BEST

Solution

One recommended solution to minimize skyglow is to fully shield light fixtures so that their footprint on the ground is visible at a distance but the source of the light is not. The International Dark-Sky Association estimates that at least thirty percent of outdoor lighting in the U.S. is wasted, mostly by lights that aren't shielded. Unshielded light that shines skyward and can be seen from space is mostly wasted energy. Another strategy is to minimize the locations and number of hours lights are on, only using them where and when needed. These solutions would also reduce light trespass and glare. Planting more trees can also help block secondary reflected light from shining skyward.



2016 world map




In 2016, the latest world map of light pollution was published by Fabio Falchi et al.

The map's colours indicate different levels of light pollution – black indicates a pristine sky, followed by blue, green, yellow, and red to specify progressively worse levels of light pollution. White places on the map indicating "cones active" are cities where light pollution is the worst.

Human eyes' retinas are composed of cones and rods cells. They are the photoreceptors responsible for transmitting

of light pollution



light signals to our brain. The cones are responsible for colour information, but only activate when lighting conditions are bright enough. Thus, in dark environments, we see dull colours or no colour at all. When we look into a telescope, we cannot see deep-sky objects as beautiful and colourful as the images we see on the internet for the same reason – the cone cells are not activated when we look through the dark lens of a telescope. The Hubble Space Telescope images, for instance, involve hours of integration, unlike what our eyes can see. Sometimes they are also false-colour enhanced images.



Switch over from sodium lamps to LEDs in Calgary, Canada. (Credit: NASA)

LED revolution?

The photo above shows the change of lighting to LEDs over Calgary, Canada. The rich blue of the LEDs is clearly visible. LEDs, or "light-emitting diodes," are known for their low cost, long lifespan, lower energy consumption, environmental friendliness, and ease of regulation, and are therefore being mass produced and used widely. Public lighting has started to replace traditional lighting fixtures with more environmentally friendly LEDs.

Recent studies have indicated that energy-saving LEDs do not help decrease light pollution. People tend to use the money saved by the low-cost LEDs to install more lighting, thus making locations brighter. LEDs also have other important problems related to the strong blue component in their spectrum, which scatters easily and affects our ecosystems and public health.

Spectrum of Low-Pressure Sodium Lamp



Spectrum of High-Pressure Sodium Lamp




Spectrum of 4100k LED



Understanding the LED spectrum

Traditional lighting, such as Low-Pressure Sodium (LPS) lamps and High-Pressure Sodium (HPS) lamps, have spectra with relatively narrow bands which can be filtered out during astronomical observations. However, LEDs typically have a broad spectrum, which is not as easy to filter out. Narrow-band LEDs such as phosphor-converted amber LEDs are coming on the market and may eventually prove to be an acceptable choice in terms of filtering, energy efficiency, and even colour rendition.



Credit: International Dark-Sky Association

In 2014, the Nobel Prize in Physics was awarded to recognize the “invention of efficient blue light-emitting diodes which has enabled bright and energy-saving white light sources.” This statement revealed an important characteristic of modern-day white LEDs – the low-cost, energy-saving white LEDs are essentially blue-rich (see the thick solid line on the diagram).

The solid line on the above diagram indicates our eyes’ sensitivity under well-lit conditions. The dashed line indicates our body’s sensitivity to the circadian rhythm, the day-night cycle.

Blue-rich LEDs overlap with our bodies’ circadian sensitivity, therefore imposing a significant influence on our sleeping behaviour.



Blue light affects sleep

In the 1990s, scientists discovered a third type of light-sensing cell in the human eye, distinct from the well-known cone and rod cells. This third type of light-sensing cell contains “melanopsin,” a kind of photopigment that carries out the function of identifying and tracking the day-night cycle. Melanopsin showed a peak of sensitivity towards blue light.

Melanopsin controls the production of “melatonin” – a hormone that makes you feel sleepy. When the melanopsin cells detect light (normally in the daytime), melatonin production is suspended, making you feel more awake. When it is dark and melanopsin cells don’t detect light, you feel tired because of the melatonin produced. When you are exposed to blue light at night for long periods of time, it keeps you awake.

Nerve Cells of Eye's Retina (Credit: Wei Li, National Eye Institute, National Institutes of Health)




Light pollution and our health

Melatonin is also an antioxidant that benefits our body beyond sleep; it helps to repair our body and regulates hormones related to cancer-correcting processes. LEDs are rich with blue light and thus have a strong effect on suspending melatonin production.

The American Medical Association (AMA) passed a resolution in 2009 stating that “light trespass has been implicated in disruption of the human and animal circadian rhythm, and strongly suspected as an etiology of suppressed melatonin production, depressed immune systems, and increase in cancer rates such as breast cancers.” In 2016, the AMA issued an official policy statement about LEDs, explaining that “white LED lamps have five times greater impact on circadian sleep rhythms than conventional street lamps.”


LEDs make light pollution worse

Not only do LEDs fail to combat light pollution, but they make light pollution worse. A study conducted by Christopher C. M. Kyba et al. using satellite data has indicated our world brightened by 9.1% from 2012 to 2016.



Credit: Christopher C. M. Kyba et al. Sci Adv 2017

The above maps show the annual rate of change of artificial lighting in terms of increase/decrease of (A) area, (B) brightness. Most of the world shows an increase in brightness, with a few exceptions showing a decrease, including a few countries that are at war—Yemen and Syria, for example.



Credit: Fabio Falchi et al. Sci Adv 2016

The blue-rich LEDs easily scatter and create a bigger light pollution footprint. The above maps show Europe's artificial sky brightness compared to natural sky brightness. The map on the left (A) shows the current light pollution level. The map on the right (B) shows the forecast of the perceived sky brightness if all lighting changes to 4000K LEDs.



2012



2016

Changes between 2012 and 2016 in India and the surrounding area.
(Credit: NASA Earth Observatory images by Joshua Stevens, using Suomi NPP
VIIRS data from Miguel Román, NASA's Goddard Space Flight Center)

What colour shall we use?

Blue light has another impact for astronomy – it scatters immediately (that's why our sky is blue), and the information in many newborn stars and galaxies peaks in blue. Also, considering the impact it has on ecosystems and public health, blue lighting is not recommended.

Red light has the longest legs for direct propagation, creating an artificial sky glow at the greatest distances. So red lighting is not recommended either.

We strongly recommend amber or yellow light, with the narrowest possible energy range, consistent with requirements for colour rendition.



Ecologically responsible and astronomically friendly LEDs


Since blue-rich LEDs have a powerful effect on human health and the environment, the industry is developing new technologies to create environmentally friendly LEDs. True amber LEDs were developed a few years ago with a very narrow bandwidth that is similar to the LPS lamp, which has the least ecological and astronomical impact. But because true amber LEDs' efficacy is low, they are not an ideal commercial product.

Phosphor-converted (PC) amber LEDs are one of the new technologies developed in recent years. Although they have a broader spectrum and greater ecological impact than true amber LEDs, they have better colour rendering and double the efficacy of true amber LEDs, making them a reasonable compromise.

The above photos show the change at Bishop's University campus in Sherbrooke, Canada, before and after the switch from 4000K white LEDs to PC amber LEDs, and reducing the power of the LED by half using the same optics. Calculations from Martin Aubé et al. show that this change decreased the sky glow perceived by the human eye to twelve percent of that caused by 4000K white LEDs, and also reduced melatonin suppression to four percent of the original level. This is an enormous reduction. To achieve this reduction, simply decrease the luminous efficiency and change the colour of the LEDs from white to amber.

How can we effectively reduce the impacts of light pollution?

LIGHT POLLUTION REDUCTION EFFECTIVENESS




Data source: Martin Aubé (Cégep de Sherbrooke)
 Illustration: Elian Abril Diaz Rosas / IAU Office for Astronomy Outreach

This diagram summarizes the effectiveness of ways to reduce light pollution. The most effective way is simply to turn off or reduce the amount of lighting. The change from white to yellow light also makes a major difference. We can plant more trees to reduce secondary reflections. Using fully shielded light fixtures to prevent light from shining upward is also helpful. Secondary reflections play a more important role in rural areas than in cities. Therefore, the solutions we describe above have a more significant impact in rural areas.

Light pollution in Hong Kong

Situated at the Pearl River estuary in the southeastern coast of China, the populous metropolis of Hong Kong suffers from severe light pollution. The University of Hong Kong (HKU) Light Pollution Research Team measured the skyglow in the city and found the night sky at the tourist hot spot Tsim Sha Tsui on the Victoria Harbour front to be over 1,000 times brighter than the IAU's dark sky standard*. Hong Kong is indeed one of the most light-polluted cities in the world.




Hong Kong Light Pollution Map. The figures represent the number of times the night sky of the region is brighter than the IAU dark sky standard* as measured by the HKU Light Pollution Research Team.

Background image credit: Earth Science and Remote Sensing Unit, NASA Johnson Space Center (photo ID: ISS006-E-36854)

* The dark sky standard is the brightness of the night sky without light pollution, defined by IAU to be 21.6 mag/arcsec²

Sources of light pollution in Hong Kong

The primary cause of light pollution in Hong Kong is the abusive or inappropriate use of outdoor lighting. Unshielded lighting fixtures are prolific in the vicinity of people's living environment. The situation is made worse with the light trespass caused by illuminated billboards and TV flood walls in mixed commercial-residential districts.



Icons made by Sima Khouri, Gregor Cresnar, Freepik, Pixed perfect from www.flaticon.com



Improper lighting devices such as this type of "glare bombs" are common in Hong Kong.



Credit: Kwok Man Tai, Champion, "Light Pollution Photography Competition 2014" organized by the HKU Light Pollution Research Team

Light pollution threatens ecosystem

Light pollution not only washes out starlight, damages our health and wastes energy, light intrusion into our natural environment also has adverse effects on the ecology of living organisms, in particular the nocturnal animals. It is thus important to preserve the natural dark environment in biodiversity-rich rural areas. For example, the Mai Po Bent-winged fireflies (*Pteroptyx maipo*, a firefly species unique to Hong Kong) reduce its flashing frequency significantly in the presence of artificial light. Since fireflies rely on optical signals for finding potential mates, a slight increase in light intensity in their habitat could be fatal to their population in the long run.




Mai Po Bent-winged fireflies
Credit: Vor YIU

Dark sky protection in Hong Kong

Relatively dark skies can still be found in rural regions in Hong Kong, such as the stargazing hot spot of Astropark in the Sai Kung East Country Park. However, rapid urbanization is posing serious threats to the remaining few dark territories in the city.



The Milky Way as seen from the Astropark.
Credit: Mew Chu



The HKU Light Pollution Research Team has actively engaged different segments of the society to promote light pollution reduction and dark sky awareness through various activities. It is hope that these collaborative efforts would foster a cultural and behavioral change in the society.


A road show on dark sky conservation conducted by the HKU Light Pollution Research Team

Outdoor Lighting Directory

Managed by the HKU Light Pollution Research Team, the "Outdoor Lighting Directory" displays examples of good and bad designs of outdoor lighting on an interactive map. Welcome to submit information to us: <https://goo.gl/MNMS07>.



<http://bit.ly/2G3UvfU>



To Learn more about Light pollution in Hong Kong...

Light Pollution Research at The University of Hong Kong	http://nightsky.physics.hku.hk/
"Light Pollution Awareness" Facebook Page	https://www.facebook.com/AwareLightPollution/
Outdoor Lighting Directory	http://bit.ly/2G3UvfU

References:

- Pun, C. S. J., So, C. W., Leung, W. Y., Wong, C. F. (2014) Contributions of artificial lighting sources on light pollution in Hong Kong measured through a night sky brightness monitoring network. *Journal of Quantitative Spectroscopy and Radiative Transfer*, 139, 90-108;
- Pun, C. S. J. & So, C. W. (2011) Night-sky Brightness Monitoring in Hong Kong: A city wide assessment. *Environmental Monitoring and Assessment*, 184, 2537-57;
- Yiu, V. (2012) Effect of Artificial Light on Firefly Flashing Activity. *Hong Kong Entomological Society Newsletter*, 4, 5-9.

How can you partner with international programmes to support the effort to prevent light pollution?

The following educational programmes and resources from international organisations can help you promote light education in schools and communities.



Globe at Night

Globe at Night is an international citizen-science campaign to raise public awareness of the impact of light pollution by inviting citizen-scientists to measure & submit their night sky brightness observations.

www.globeatnight.org



Quality Lighting Teaching Kit

The kit was developed for the International Year of Light. The kit offers six "problem-based" activities that use quality lighting to solve problems related to light pollution's effect on wildlife, the night sky, our eyes, energy consumption, safety and light trespass into buildings.

www.noao.edu/education/qltkit.php



Dark Skies Rangers

This programme educates students on how to identify inefficient lighting, provides alternatives and tools that reduce consumption, keeps energy costs in check, and helps communities regain and safeguard a precious resource - the dark night time sky.

www.globeatnight.org/dsr/



International Dark-Sky Association Resources

The International Dark-Sky Association (IDA) mission is to preserve and protect the nighttime environment and our heritage of dark skies through environmentally responsible outdoor lighting. The following is a list of resources produced by IDA.

www.darksky.org/resources/

Editor
Sze-leung Cheung

Consulting Editor
Constance Walker

Layout
Sze-leung Cheung

Copy Editors
Hannah Harris
Yolande McLean

Copy Editors (Hong Kong contents)
Dr Jason Chun-shing Pun
Dr Chu-wing So

Publication Date:
April 2018
July 2019 (Hong Kong contents)

References

Aubé, Martin. (2015). Physical behaviour of anthropogenic light propagation into the nocturnal environment. *Philosophical Transactions of The Royal Society B Biological Sciences*. 370. 10.1098/rstb.2015.0143.

Aubé, Martin. (2016). The LED outdoor lighting revolution: Opportunities, threats and mitigation for urban and rural citizens.

Falchi, Fabio et al. (2016) The New World Atlas of Artificial Night Sky Brightness. *Science Advances* 10 Jun 2016 : e1600377


Kyba, Christopher et al. (2017). Artificially Lit Surface of Earth at Night Increasing in Radiance and Extent. *Science Advances* 22 Nov 2017 : e1701528

AMA Adopts Guidance to Reduce Harm from High Intensity Street Lights
American Medical Association Press Releases
<https://www.ama-assn.org/ama-adopts-guidance-reduce-harm-high-intensity-street-lights>

This work is licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International License.

This brochure is supported by the University of Hong Kong's Knowledge Exchange Fund granted by the University Grants Committee of Hong Kong.





A world without stars would be like
a world without flowers.

— Silvia Torres-Peimbert, President of the
International Astronomical Union

at the closing ceremony of the International Year of Light 2015.

City lights and stars as seen from the International Space Station. (Credit: NASA)



International Astronomical Union
Office for Astronomy Outreach

www.iau.org/public

In collaboration with the
IAU Commission C.B7
Protection of Existing and Potential
Observatory Sites

Contents about Hong Kong provided by the
Light Pollution Research Team of the University of Hong Kong



International
Day of Light